



BREED-GOURITZ
CATCHMENT MANAGEMENT AGENCY

51 Baring Street Worcester 6850, Private Bag X3055 Worcester 6850

Enquiries: Rafeeq Le Roux Tel: 023 346 8000 Fax: 023 347 2012 E-mail: rleroux@bgcma.co.za

Reference No: 4/10/2/G40L/TRUNK ROAD 28, STANFORD
Date: 09th June 2020

Guillaume Nel Environmental Consultants
P.O. Box 2632
Paarl
7620
christoff@gnec.co.za

Attention: Mr. Christoff Dippenaar

COMMENT ON THE DRAFT BASIC ASSESSMENT REPORT FOR THE PROPOSED REHABILITATION AND UPGRADING OF TRUNK ROAD 28 SECTION 2, TR28/2 , R43 AND RELATED EXISTING DEGRADED STORM WATER INFRASTRUCTURE BETWEEN STARNFORD AND GANSBAAI. DEA&DP REFERENCE NUMBER 16/3/3/6/7/1/E2/37/1016/20.

With reference to the above mentioned report received by this office on **24/03/2020**.

This office has reviewed the *Draft Basic Assessment Report* and has the following comments:

1. Section 21 Water Use:

The following Water Use in terms of Section 21 of the National Water Act, 1998 (Act 36 of 1998) are applicable:

- Section 21 (c) – Impeding or diverting the flow of water in a watercourse
- Section 21 (i) – Altering the bed, banks, course or characteristics of a watercourse

2. Water Use Authorisation:

Application for Water Use Authorisation was received on **29/04/2020** for Section 21 (c) and (i) Water Use. General authorisation with reference number **27/2/2/G1140/9/3** was confirmed on **20/05/2020**.

General Comments

3. All relevant sections and regulations of the National Water Act, 1998 (Act 36 of 1998) regarding water use must be adhered to.
4. No use of water and/or storage of water is permitted, unless the applicant has formally obtained a license in terms of Section 41 of the National Water Act (Act 36 of 1998) and/or formal authorization in terms of General Authorization issued under Section 39 (Government

Notice 399 dated 26 March 2004), and/or if it is authorized under Schedule 1 of the National Water Act, 1998 (Act 36 of 1998) and/or if it is an Existing Lawful Water Use.

5. No pollution of surface water or ground water resources may occur due to any activity.
6. No storm water runoff from any premises containing waste, or water containing waste emanating from industrial activities and premises may be discharged into a water resource.
7. All relevant sections and regulations of the National Environmental Management: Waste Act 2008 (Act 59 of 2008) regarding the disposal of solid waste must be adhered to. Solid waste may only be disposed of onto an authorised solid waste facility in terms of above mentioned legislation.

Please be advised that all relevant sections and regulations of the National Water Act, 1998 (Act 36 of 1998) regarding water use must be adhered to. The use of water without the required authorization in terms of the National Water Act, 1998 (Act 36 of 1998) may be regarded as unlawful and a criminal offence.

The onus remains on the registered property owner to confirm adherence to any relevant legislation with regards to the activities which might trigger and/or need authorization for

Please do not hesitate to contact this office if you have any further queries.

Please ensure to quote the above reference in doing so.

Yours Faithfully



MR. JAN VAN STADEN

CHIEF EXECUTIVE OFFICER (ACTING)